

CLAIMS

~~add B1~~ What is Claimed is

1. A method for surfslide comprising the steps of:
 - (a) fixing an open pipe ramp system having a top and a bottom and an inner side and outer side in relation to the ground;
 - (b) disposing a friction control surface on said inner side of said ramp system;
 - (c) lubricating said friction control surface of said inner side of said ramp system;
 - (d) providing for an upwardly opening cross section of said ramp system and downward and forward slope from said top to said bottom; and
 - (e) entering means at said top of said ramp system whereby a user or a conveyance carrying a user enters, travels on said ramp system downwardly over said friction control surface, the users skills are employed to control direction, speed, and vertical ability while traveling downwardly on said ramp system until the user exits said ramp system at said bottom of said ramp system.

2. A surfslide apparatus comprising:

- (a) a fixed open pipe ramp system having a top and a bottom and having an inner side and outer side;

- (b) a friction control surface disposed on said inner side of said ramp system;
- (c) a lubrication means which flows over said friction control surface of said inner side of said ramp system;
- (d) said ramp system having an upwardly opening cross section and sloping downwardly and forwardly from said top to said bottom; and
- (e) said ramp system having an entrance at said top whereby a user or a conveyance carrying a user enters, travels on said ramp system downwardly over said friction control surface, the users skills are employed to control direction, speed, and vertical ability while traveling downwardly on said ramp system until the user exits said ramp system at said bottom of said ramp system.

1A
3. An apparatus as claimed in Claim ^{Two} which further comprises a friction control surface which retains the lubricating substance.

1A
4. An apparatus as claimed in Claim ^{Two} which further comprises a lubricating means which affects the friction between said friction control surface and a user or conveyance carrying a user sliding over said friction control surface.

1A
5. An apparatus as claimed in Claim ^{Two} which further comprises:

(a) a fluid inlet system to provide lubrication to the friction control surface arranged along said ramp system; and

(b) a grid apparatus at the lowest point in the cross section of said ramp system serving as a collection channel for said lubricating means

6. An apparatus as claimed in Claim ² ~~Two~~ which further comprises a means for supporting said ramp system.
7. An apparatus as claimed in Claim ² ~~Two~~ which further comprises a lubrication recirculation system.
8. An apparatus as claimed in Claim ² ~~Two~~ which further comprises an attachment means for adhering the friction control surface to the inner side of the said ramp system.
9. An apparatus as claimed in Claim ² ~~Two~~ which further comprises said ramp system having a plurality of curves and slope increases and decreases as the ramp system is constructed downwardly and forwardly from top to bottom.
10. An apparatus as claimed in Claim ² ~~Two~~ which further comprises a means for allowing a user to travel downwardly through said ramp system either standing erect, sitting, lying, or kneeling on a conveyance carrier.
11. A surfslide apparatus comprising:
- a fixed open pipe ramp system having a top and a bottom and having an inner side and outer side;
 - a friction control surface disposed on said inner side of said ramp system;
 - a lubrication means which flows over said friction control surface of said inner side of said ramp system;
 - said ramp system having an upwardly opening cross section and sloping downwardly and forwardly from said top to said bottom; and

(e) said ramp system having an entrance at said top whereby a user or a conveyance carrying a user enters, travels on said ramp system downwardly over said friction control surface, the users skills are employed to control direction, speed, and vertical ability while traveling downwardly on said ramp system until the user exits said ramp system at said bottom of said ramp system.

12 12. An apparatus as claimed in Claim ~~Eleven~~ which further comprises a plurality of open pipe structures connected together to form said ramp system.

13 13. An apparatus as claimed in Claim ~~Eleven~~ which further comprises a ramp system having a first upper wall disposed on the left of the longitudinal axis of said ramp system and a second upper wall disposed on the right of the longitudinal axis of said ramp system which allows for a user or conveyance carrying a user to stand or sit and travel upwardly upon said first upper wall and downwardly again to the center of the ramp system and then upwardly upon said second upper wall, causing a back and forth motion as the user travels in a generally downwardly motion to the bottom of said ramp system.